## **AJCC Staging Eighth Edition**

## Melanoma Stage I and II Subgroups

N	T Category									
Category	Tis	T1a	T1b	T2a	T2	b	ТЗа	T3b	T4a	T4b
N0	0	IA	IA	IB	II.	4	IIA	IIB	IIB	IIC
5-Yr Survival		99%		97%	94%			87%		82%
10-Yr Survival		98%		94%	88%			82%		<b>75%</b>
Melanoma Stage III Subgroups										
	T0	T1a	T1b	T2a	T2	b	ТЗа	T3b	T4a	T4b
N1a	N/A	Α	Α	А	В		В	C	С	С
N1b	В	В	В	В	В		В	С	С	С
N1c	В	В	В	В	В		В	С	С	С
N2a	N/A	Α	Α	Α	В		В	С	С	С
N2b	С	В	В	В	В		В	С	С	С
N2c	С	С	С	С	С		С	С	С	С
N3a	N/A	С	С	С	С		С	С	С	D
N3b	С	С	С	С	С		С	С	С	D
N3c	O	С	С	С	O		O	C	С	D
	A = St	Stage I	IIB C = Stage I			IIIC	D = Stage IIID			
r Survival	93%			83%			69%		32%	
Yr Survival	88%			77%			60%		24%	



## Primary tumour (T)

TO No evidence of primary tumour

 $T1 \le 1.0 \text{ mm}$  in thickness

- T1a: <0.8 mm; without ulceration
- T1b: <0.8 mm; with ulceration or</li>
  0.8-1.0 mm; with or without ulceration

T2 >1.0-2.0 mm in thickness

- T2a: > 1.0-2.0 mm; without ulceration
- T2b: > 1.0-2.0 mm; with ulceration

T3 >2.0-4.0 mm in thickness

- T3a: >2.0-4.0 mm; without ulceration
- T3b: >2.0-4.0 mm: with ulceration

T4 >4.0 mm in thickness

- T4a: >4.0 mm; without ulceration
- T4b: >4.0 mm; with ulceration

## Regional lymph nodes (N)

N1 1

- N1a: 1 clinically occult; no in transit/satellites
- N1b: 1 clinically detected; no in transit/satellites
- N1c: No regional lymph node disease; in transit/satellites present

N2 2 or 3

- N2a: 2 or 3 clinically occult; no in transit/satellites
- N2b: 2 or 3 (with ≥1 clinically detected);
  no in transit/satellites
- N2c: 1 clinically occult or clinically detected; in transit/satellites present

N3 ≥4

- N3a: ≥4 clinically occult; no in transit/satellites
- N3b: ≥4 (with ≥1 clinically detected) or the presence of any number of matted nodes; no in transit/satellites
- N3c: ≥2 clinically occult or clinically detected and/or presence of any number of matted nodes; in transit/satellites present